

Transaction Information

| | |
|---------------------|------------------|
| Tool ID | ETS449 |
| Tool Status | Disconnected |
| Location | Dresden, Germany |
| Wafer Size | 300 mm |
| Fab Section | Test |
| Tool Available Date | 2021-10-04 |

General Product Information

| | |
|-------------------|---|
| Vendor Supplier | CREDESCENCE |
| Model | SAPPHIRE |
| Vintage | 2008 |
| Serial No | 70417 |
| Asset Description | Wafer Tester |
| Software Version | LTX Credence customized for AMD/ Globalfoundries |
| CIM | n/a |
| Process | Wafer Test |

Hardware Configuration (Fab)

| System Type | Description | Quantity | Status |
|-------------------|-------------------------|----------|--------|
| Main System | Tester | 1 | |
| Handler System | NONE | 0 | OK |
| Factory Interface | NONE | 0 | OK |
| Options System | Adapter for TEL P12XIn+ | 1 | OK |
| Others | n/a | 0 | OK |

Hardware Configuration (Subfab / Auxilliary Units)

| Description | Quantity | Status |
|--|----------|--------|
| cold idled LTX CRENDENCE Sapphire Tester | 1 | |

Missing/Faulty Parts / Accesories List

| Description | Quantity |
|---|----------|
| channel boards and DPS units defect | 5 |

Tool Pictures

General

Tool Reference





General

Tool Reference






Manufacture Serial

S/N Tool Plate



credence

PRODUCT: SAPPHIRE
MODEL: ENHANCED POWER
S/N: SAPPE-R70417



MFG DATE: February 29, 2008

XTOS™ Sequencer Per Pin® Keep Alive®

THIS PRODUCT IS COVERED BY ONE OR MORE OF THE FOLLOWING
US PATENTS AND THEIR FOREIGN EQUIVALENTS.
6219443 6461910 6477130 6014764 6128754, 6501706

1-800-328-7045
www.credence.com
Manufactured in

334-9431-01

Additional Configuration Files